

Redefining Interior Style



**Panel Decor Solutions**  
Redefining Interior Style

Pds Group Australia Pty Ltd  
Telephone: 0435 300 927  
Email : Admin@pdswallpanel.com.au  
Web: www.pdswallpanel.com.au  
Address: 20 Wright Pl, Algester QLD 4115



# Decor Panel Indoor Series

Supplier of Integrated Wall Panel Customization Systems



# CONTENTS

---

<b>DECOR WALL PANEL</b>	<b>02</b>
■ Decor Wall Panel	06
■ Luxury Stone Pattern Wall Panel	10
■ Book Matched Stone Pattern Wall Panel	12

---

<b>FLUTED WALL PANEL</b>	<b>18</b>
■ Batten Wall Panel	22
■ Pencil Round Wall Panel	23
■ Waved Wall Panel	24
■ Solid Batten Wall Panel	25

---

<b>SOUNDPROOF PANEL</b>	<b>26</b>
-------------------------	-----------

---

<b>BATHROOM WALL PANELS</b>	<b>30</b>
-----------------------------	-----------

---

<b>FLEXIBLE STONE WALL PANEL</b>	<b>32</b>
----------------------------------	-----------

---

<b>3D STONE WALL PANEL</b>	<b>34</b>
■ 3D Stone External Wall Panel	35
■ 3D Stone Interior Wall Panel	35

---

<b>PE OUTDOOR SERIES</b>	<b>36</b>
■ PE Outdoor Decking	37
■ PE Outdoor Batten Wall Cladding	37

---


<b>PU MOULDINGS</b>	<b>38</b>
---------------------	-----------



Panel Decor Solutions

**DECOR WALL PANEL**

## DECOR WALL PANEL



### DECOR WALL PANEL

Length	2800mm
Width	1220mm
Thickness	8mm
Weight	19.8Kg/pc
Material	Stone Powder + PVC Resin Composite



### Joint

#### Seamless with lock system



#### Join with trims



## DECOR WALL PANEL

### Why PDS Decor Panel?

#### Superior Thermal Insulation

With an 8mm thickness, our panels maintain a stable chemical and physical structure. This ensures long-lasting and reliable insulation performance.

#### Modern Decorative Wall

Available in a variety of colors and patterns, —ideal for all your feature walls.

#### Easy to Install

Fast, Clean, and Eco-Friendly. Easily update older interiors without demolition—our panels offer a quick, mess-free solution that saves time and reduces environmental impact.

#### Performance & Durability

Highly resistant to heat, moisture, acids, and alkalis. Our panels are long-lasting, low maintenance, and easy to clean.

#### Eco-Friendly & Safe





Crafted from recyclable materials with no harmful emissions. Formaldehyde levels meet E0 environmental standards. With no lingering odors, spaces are ready for immediate use after installation.

#### Fire-Resistant

Certified to Group 3 fire safety standards with an oxygen index of up to 40.

## DECOR WALL PANEL

### Premium Quality Starts with Superior Materials

			
<b>High density &amp; durability</b>	<b>Ease of cleaning</b>	<b>Non-flammable</b>	<b>Moistureproof</b>
8mm Thick Core: Built strong with high-density cores for lasting protection.	The surface adopts anti-scratch protective layer.	Combustion performance meets Group 3 level.	Highly Moisture Resistant.

### Color Inspiration – Natural Wood Grain

The warmth of natural wood tones elevates any interior with timeless elegance. These refined finishes reflect a modern sense of spatial design, ideal for commercial and residential applications.

	<b>ECO-Friendly Material</b> Healthy Lifestyle
	SE0 (Formaldehyde-free) WPC Wall Panels, Eco-friendly materials help create a healthier home for your family.
	■ ANTI - SCRATCH PROTECTIVE LAYER
	■ ADVANCED DECORATIVE FILM
	■ ENVIRONMENTALLY FRIENDLY MATERIALS

## DECOR WALL PANEL



DECOR WALL PANEL

DECOR WALL PANEL



Natural Oak—PDS11-01

Pecan —PDS11-02

Decor Wall Panel

Decor Wall Panel



Iron Bark —PDS11-03


Dark Walnut—PDS11-04

DECOR WALL PANEL



Decor Wall Panel

DECOR WALL PANEL



Matte Grey—PDS11-07



Lemon —PDS11-05

Decor Wall Panel



Chestnut—PDS11-06



DECOR WALL PANEL



Pandora PDS12-01



DECOR WALL PANEL



Ember Stone PDS12-04



Luxury Stone Pattern Wall Panel




Silk Pearl PDS12-02



Tuscany PDS12-05



Luxury Stone Pattern Wall Panel




Frosted Slate PDS12-03



Nimbus Slate PDS12-06




# DECOR WALL PANEL



Obsidian Drift

PDS13-01(A/B/C/D)

# DECOR WALL PANEL



Storm Reef


PDS13-02 (A/B/C)

Book Matched Stone Pattern Wall Panel

Book Matched Stone Pattern Wall Panel



**DECOR WALL PANEL**




Ivory Noir

PDS13-03 (A/B/C/D)



**DECOR WALL PANEL**



Carrara Marble

PDS13-04(A/B)






Book Matched Stone Pattern Wall Panel



Book Matched Stone Pattern Wall Panel

# DECOR WALL PANEL


## Matching Metal Trim for Wall Decoration



# DECOR WALL PANEL



Decor Wall panels can be curved via kerf-bending





**FLUTED WALL PANEL**

**PDS Fluted Panel Made From**



POLYMER RESIN



WOOD POWDER



POLYVINYL CHLORIDE

**Why Choose PDS Fluted Wall**

**Reliable Quality, Minimal Maintenance**

Why choose PDS fluted wall panels?

<b>Durability</b>	PDS fluted walls are highly durable and resistant to impact and moisture, making them suitable for humid environments.
<b>Affordability</b>	PDS fluted walls are a cost-effective option compared to other traditional wall materials such as wood, brick, or concrete.
<b>Quick Installation</b>	PDS fluted walls are easy to work with—lightweight design makes installation simple and efficient.
<b>Cost-Efficient</b>	PDS fluted walls are durable materials ensuring long-term performance and reduced maintenance costs.
<b>Low Maintenance</b>	PDS fluted walls require minimal maintenance, as they are easy to clean and do not require repainting or sealing.
<b>Versatility</b>	PDS fluted walls are available in a variety of colors, designs, and textures, allowing them to blend in with any interior design style and meet different aesthetic preferences.



Anti Mould & Termites



Durable



Low Maintenance



Water Resistant





Easy Installation



100% Eco-Friendly

## FLUTED WALL PANEL



## FLUTED WALL PANEL

Batten Wall Panel				
Width•Length•Thickness	160*2800*24mm			
Environmental Protection Grade	SE0	Fire Rating	Group 3	
Performance Advantages	Waterproof & Bendable Molding			

Pencil Round Wall Panel				
Width•Length•Thickness	158*2800*15.3mm			
Environmental Protection Grade	SE0	Fire Rating	Group 3	
Performance Advantages	Waterproof & Bendable Molding			

Waved Wall Panel				
Width•Length•Thickness	159*2800*15.3mm			
Environmental Protection Grade	SE0	Fire Rating	Group 3	
Performance Advantages	Waterproof & Bendable Molding			

Solid Batten Wall Panel				
Width•Length•Thickness	150*2800*8mm			
Environmental Protection Grade	SE0	Fire Rating	Group 3	
Performance Advantages	Waterproof & Bendable Molding			

# FLUTED WALL PANEL



Batten Wall Panel



Batten

# FLUTED WALL PANEL

Pencil Round



Natural Oak  
PDS22-01

Pecan  
PDS22-02

Iron Bark  
PDS22-03

Dark Walnut  
PDS22-04

Lemon  
PDS22-05

Pencil Round Wall Panel




Natural Oak  
PDS21-01

Pecan  
PDS21-02

Iron Bark  
PDS21-03

Dark Walnut  
PDS21-04


Lemon  
PDS21-05



FLUTED WALL PANEL

Waved

Waved Wall Panel



Natural Oak  
PDS23-01

Pecan  
PDS23-02

Iron Bark  
PDS23-03


Dark Walnut  
PDS23-04

FLUTED WALL PANEL


Solid Batten



Chestnut  
PDS24-06



Matte Grey  
PDS24-07





Pure white  
PDS24-08

Solid Batten Wall Panel






## SOUNDPROOF PANEL



## SOUNDPROOF PANEL



### ADVANTAGES & SPECIFICATIONS

More styles can be customized upon request

<b>Name</b>	Acoustic Panel   Ceiling
<b>Base Material</b>	MDF Board   Black HDF Board   PET Fiber
<b>Finish</b>	Paper   Wood Veneer   PVC
<b>Length</b>	2800mm
<b>Width</b>	605mm
<b>Thickness</b>	21mm
<b>Fire Performance</b>	HDF is flame-retardant
<b>Waterproof</b>	HDF is Moisture- Resistant
<b>Installation</b>	Screws or mounting glue
<b>Clean</b>	Clean with a vacuum cleaner or a dry cloth, not with water

#### Noise Reduction

Absorbs sound to reduce noise and echo.

#### Style Versatility

A rich palette of woodgrain colors and textures for any interior.

#### Easy Installation

Simply apply using adhesive or screws.

# SOUNDPROOF PANEL



# SOUNDPROOF PANEL



Natural Oak  
PDS31-01



Pecan  
PDS31-02



Iron Bark  
PDS31-03



Dark Walnut  
PDS31-04



## BATHROOM WALL PANELS

This premium interior decorative panel is ideal for wall finishing. Crafted from natural stone powder and eco-friendly PVC via high-temperature extrusion and UV curing, it features vivid 3D textures that perfectly replicate natural stone looks.

Boasting waterproof, damp-proof, flame-retardant and wear-resistant properties, it is easy to install and maintain. Formaldehyde-free and eco-safe, It is perfectly suited for residential, office, and commercial decorative applications.

### Product Advantages:

- Lightweight, stable. safe for indoor applications
- Realistic texture, restoring natural stone texture
- Waterproof, moisture-proof and fire-resistant, suitable for humid environments
- Formaldehyde-free, eco-friendly and safe
- Easy to install, no daily maintenance needed




### SPC WALL PANEL

Length	2700mm
Width	1220mm
Thickness	3mm
Weight	19.8kg/pc
Material	Stone Powder + PVC Resin Composite

## BATHROOM WALL PANELS



Terra Quartz—PDS51-01



White Marble—PDS51-02



## FLEXIBLE STONE WALL PANEL

Flexible Stone is an eco-friendly decorative building material made from natural colored sand, modified clay and water-based polymers through low-temperature processing. Light and bendable, it features stone, leather and wood textures. Safe and low-carbon, it fits high-rise walls, renovations and special-shaped buildings, perfectly replacing traditional tiles.

### Product Advantages:

- Lightweight safe, no falling hazard
- Flexible anti-crack, fit complex spaces
- Eco low-carbon, formaldehyde free
- Weather-resistant, long outdoor service life
- Rich styles, real natural texture
- Easy to install, cost-effective
- Fireproof stain-resistant, easy cleaning



### FLEXIBLE STONE WALL PANEL

Length	1200mm
Width	600mm
Thickness	3mm
Weight	3kg/pc
Material	Modified clay + Polymer + Additives



Restaurant



Campus



Hotel



Apartment



Hospital




Office building



Home

## FLEXIBLE STONE WALL PANEL



Slate Grey—PDS61-01



Moon Star—PDS61-02



Chiseled Stone—PDS61-03



Travertine Peach—PDS61-04



Travertine Grey—PDS61-05



## 3D STONE WALL PANEL

Our 3D stone range is a high grade, lightweight, realistic and budget-friendly artificial alternative to quarried stone.

We have both indoor and outdoor ranges available

Our outdoor range is specifically engineered for superior weather and UV resistance to ensure long lasting performance.

### Product Advantages:

- Lightweight, wall-friendly, stable
- Vivid 3D texture, perfect natural stone alternative
- Versatile style options for a broad range of wall décor applications
- Simple installation to help save both time and money
- Durable, UV & Weather resistant, long outdoor service life



## 3D STONE WALL PANEL

### 3D STONE EXTERNAL WALL PANEL



Stacked Stone

PDS62-01



Golden Granite

PDS62-02



### 3D STONE INTERIOR WALL PANEL



Waterfall Grey PDS63-01



Mountain Rock PDS63-02




Rock Face PDS63-03

	3D STONE EXTERNAL WALL PANEL	3D STONE INTERIOR WALL PANEL
Length	1200mm	
Width	330mm/600mm	600mm
Thickness	30mm/50mm	30mm/50mm
Weight	1.5kg-3kg/pc	1.2kg-1.3kg/pc
Material	Polyurethane + Mineral Fillers + Additives	



## PE OUTDOOR SERIES



## PE OUTDOOR SERIES

### PE OUTDOOR DECKING



### PE OUTDOOR DECKING

PE Outdoor Series adopts integrated molding with high-polymer eco-friendly modified materials. Boasting compact stable structure and superior weather resistance, it withstands long-term outdoor sun, rain and temperature shifts. Featuring lifelike natural grain, it blends solid wood charm with modern minimalism. Waterproof, anti-corrosion and anti-aging, it resists cracking & deformation with zero daily upkeep. Easy to install, it is widely applied in courtyards, terraces and exterior walls, being an ideal eco-friendly outdoor decorative building material.

#### Product superiority :

- Durable & All-Weather Resistant
- Eco-Friendly & Recyclable
- Slip-Resistant Textured Surface
- Dimensionally Stable & No Warping
- Quick & Easy Installation
- Long-Lasting Performance



	PE OUTDOOR DECKING	PE OUTDOOR BATTEN WALL CLADDING
Length	5400mm	2000mm
Width	138mm/140mm	219mm
Thickness	23mm	26mm
Weight	15.4kg-22.7kg/pc	5.6kg/pc
Material	HDPE (High-Density Polyethylene) + Wood Wood Fiber + Additives	

### PE OUTDOOR BATTEN WALL CLADDING



## PU MOULDINGS



## PU MOULDINGS

## PU MOULDINGS

Crafted from high-density PU material, French-style mouldings are lightweight, sturdy and elegantly shaped with classic retro French aesthetics.

They are waterproof, damp-proof, insect-proof and mildew-proof, free from cracking and deformation. Boasting fine texture and premium gypsum-like finish, they are eco-friendly, odorless, weather-resistant, durable and anti-yellowing.

Easy to install, they are ideal decor materials for villas, hotels and household interiors, perfect for ceilings, background walls, door frames and corner trims to create French light luxury and European retro styles.

### 6 Core Advantages of PU French Mouldings (Compared with Gypsum Lines)

#### 1. Lightweight & Easy Installation

Lighter than gypsum mouldings, easy and fast to mount with no extra reinforcement needed.

#### 2. Waterproof & Moistureproof

Non-absorbent and alkali-free, far better than moisture-prone crackable gypsum mouldings.

#### 3. Anti-Deformation

Great aging resistance, free from shrinkage, crack and distortion.

#### 4. Eco-friendly & Long-lasting

Odorless, anti-yellowing and more durable than gypsum materials.

#### 5. Exquisite Texture

Premium gypsum-style finish with vivid 3D effect, no powder falling off.

#### 6. Insect & Mildew Proof

Effectively prevent moth erosion and mildew growth.


### PLAIN PANEL MOLDING



### PLAIN CORNER MOLDING



### LIGHT AND SHADOW LINE




## PU MOULDINGS

### CEILING MEDALLION



### CEILING MEDALLION & ORNAMENTS



### CHAIR CORNER MOLDING



### ORNAMENTS



#### Cleaning & Maintenance Guidelines

Promptly wipe spills with a clean towel.

For stains, gently rub with a towel dampened with 75% alcohol.

Use a white cotton cloth or soft brush for best results.

For recent stains (under 30 minutes), try a towel with 5% dish soap or neutral soap first.

Note: Minor colour differences meet industry standards and are not considered defects.

Over-cleaning may affect the surface finish.

Common stains (sweat, soot, ink, chocolate, coffee, wine, etc.) are removable with dish soap or 75% alcohol.



**PDS BRISBANE SHOWROOM.  
CALL US TO ARRANGE A TOUR.**

